




**Project Name:** \_\_\_\_\_

**Item Number:** \_\_\_\_\_

**Quantity:** \_\_\_\_\_



**DIVA 10 DI**

**Induction Cooktop  
Diva 10 DI  
- drop-in model -**

Approved by:



**WHY INDUCTION?**

**SAFETY:** Induction heats the cookware, while the surrounding area stays cool to the touch. Built-in safety features include overheat protection, pan recognition, empty pan detection, etc.

**PRECISION:** Digital touch-sensitive control allows for precise power level adjustment: from 50 W to 3600 W. Ideal for all types of cooking: from melting chocolate to stir fry. Induction is known and appreciated for lowest heat inertia and prompt heat level change.

**POWER & EFFICIENCY:** Considerably faster heat source compared to other cooking technologies.

**ENVIRONMENT FRIENDLY:** Induction is the most economical and energy conserving cooking technology. Minimal ambient heat rejection makes the kitchen cooler and reduces need for ventilation and air conditioning

**FLEXIBILITY:** Induction cooktops can be used for cooking in versatile set-ups from kiosks and buffet stations to the kitchens of the world's greatest chefs.

**EASE OF CLEANING:** Surface simply wipes clean after use.

**SUITABLE COOKWARE**

Induction will work with pans having a ferritic base, such as cast iron, enameled and induction grade pans. Recommended cookware size diameter: 100 - 330 mm [4" - 13"].

**FEATURES**

Drop-in unit in low-profile stainless steel casing with flush-fitted cooking surface and touch control pad in vitroceramic glass.

Power: 3.6 kW

Electrical connection: 220 V, 2 Pole+G, 20 A, unit equipped with 1.8 m [6'] long cord.

One cooking zone with two concentric coils:

- inner Ø180 mm [7"], and
  - outer Ø 180-280 mm [7"-11"],
- with electronic recognition and override for single or double coil usage.

Touch-sensitive capacitive-type controls: ON/OFF, +/- power level adjustment, three preset power level controls and BOOST control.

Electronic utensil recognition with automatic shut-off when utensil is not detected or removed.

Safety features: utensil temperature monitoring and power-level modulation, utensil recognition, internal component over-heat protection.

On-board cooling fan with removable air intake filter.

Complies with:



- UL 197;
- CAN/CSA-E335-2-36-94;
- NSF 4;
- FCC - CFR 47, Part 18.

**Diva de Provence, 885 Don Mills Road, Suite 207, Toronto, Ontario M3C 1V9 Canada  
Tel: 888-852-8604 Facsimile: 416-256-7121 www.divainduction.com**

220 V, 2 Pole+G, 20 A



**Induction Cooktop  
Diva 10 DI  
- drop-in model -**



**INSTALLATION**

**The unit must be installed and used in accordance with local building, trade, fire protection and electrical codes. If local codes do not exist, then installation must be done in accordance with federal codes.**

The cooktop is to be plugged into an adequate receptacle or 'hard-wired' inside a junction box. **The unit must be properly grounded.**

The clearance to any combustible surface above the unit must be min. **900 mm [36\"/>**

To install the cooktop, cut out a rectangular opening in the counter. The dimensions of this opening should be: **400 x 540 mm [15 3/4\"/>**

Note that the unit is equipped with a cooling fan which prevents the cooktop's internal components from overheating. When installing the unit, it is important to prevent the recirculation of the air, and the principle is shown on the drawing above. For best results it is recommended that there is a partition underneath the unit dividing air-intake and air-exhaust chambers. Minimum size of the air-intake opening is 165 cm<sup>2</sup> [22 sq in]. Also, an access to the air filter should be provided for inspection and regular cleaning.

**TECHNICAL SPECIFICATIONS**

- Dimensions: 440 x 580 x 84 mm  
[17 5/16" x 22 13/16" x 3 5/16"]
- Glass size: 340 x 405 mm [13 3/8" x 16"]
- Inductor - coil - size: Ø 280 mm [11"]
- Net weight: 9.4 kg [21 lb]
- Package size: 495 x 625 x 140 mm  
[19 1/2" x 24 5/8" x 5 1/2"]
- Gross weight: 10.8 kg [24 lb]
- Cut-out: 400 x 540 mm [15 3/4" x 21 1/4"]
- Cooktop electrical characteristics are:
  - Voltage ..... 220 V ~ 60 Hz
  - Max. power ... 3600 W - boost setting
  - Min. power .... 50 W - setting '1'
  - Connect to ... 220 V, 60 Hz, 2 Pole+G, 20 A

SHORT FORM SPECIFICATIONS	
Supply induction cooktop by Diva de Provence, DIVA 10 DI, drop-in unit, 3.6 kW, 220 V, 2 Pole+G. Stainless steel casing with bracket and seals for installation. Vitroceramic cooking surface and vitroceramic pad for controls. Drop-in cooktop equipped with touch-sensitive controls. One cooking zone, 280 mm (11"), with two concentric coils. Cooktop equipped with 1.8 m (6') long cord.	

**Diva de Provence, 885 Don Mills Road, Suite 207, Toronto, Ontario M3C 1V9 Canada  
Tel: 888-852-8604 Facsimile: 416-256-7121 www.divainduction.com**